

# Technical information

Name: **Stipshausen**

PBI: **22**

Forest type: **Beech-oak**


**DE**

Topic:


Positive selection of elite and habitat trees

State/ Region	Owner	Year of establishment	Size
Idarwald / Rheinland-Pfalz	Owner association Viergemeindewald	2014	1.0 ha
Altitude [m.a.s.l.]	Mean annual precipitation [mm]	Mean annual temperature [°C]	Natural forest community
490	900	8.0	Luzulo-Fagetum
Number of trees [N/ha]	Basal area [m <sup>2</sup> /ha]	Volume [m <sup>3</sup> /ha]	Habitat value [points]
394	33.8	388.7	4 937


DBH distribution



Tree species distribution [% Volume]




## Marteloscope map:





Tree species	N/ha [#]	BA/ha [m <sup>2</sup> ]	V/ha [m <sup>3</sup> ]
Beech	348	21.2	226.7
Oak	45	12.6	161.8
Spruce	1	0.01	0.01
<b>Total</b>	<b>394</b>	<b>33.8</b>	<b>388.5</b>





### Timber quality



### Microhabitats



## Thematic maps:



### Contact:

Manfred Witz  
Waldbautrainer  
Im Litz 5  
D-55758 Stipshausen

Tel +49 6544 – 991496  
Manfred.Witz@wald-rlp.de

### More information:

Daniel Kraus  
European Forest Institute  
Wonnhaldestr. 4  
D-79100 Freiburg

[www.integrateplus.org](http://www.integrateplus.org)  
[info@integrateplus.org](mailto:info@integrateplus.org)